



2023/24
PRODUCT
CATALOG



FLOOR
LEVEL 1

Culver perfectly replicates the sophisticated movement and subtle veining of stone. The rich detail and soft color palette provides an organic feel to any space. Available in three sizes and three stylish colors, this porcelain tile is durable, versatile and works perfectly for any project.

CULVER™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 








White



Sand



Gray

Sizes							
	20" x 20" 19.57" x 19.57"	12" x 24" 11.81" x 23.62"	13" x 13" 12.99" x 12.99"	2" x 4" Mosaic 12" x 12" Mesh	3" x 12" Floor SBN		
Thickness	8.5mm	8.4mm	7.6mm	8.4mm	Check Website		
Faces	18	32	32	Random	N/A		
Finish	Matte	Matte	Matte	Matte	Matte		
Edge	Pressed	Pressed	Pressed	Cut	Cut/Rounded		
Grout Joint Recommendation	3/16"	3/16"	3/16"	Check Website	Check Website		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	III	>250 lbf	Resistant	<0.5%	>0.42	6	V2

 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.




FLOOR
LEVEL 2

Newport™ artfully blends the look of marble and concrete, creating a notable design aesthetic. Cool undertones highlight the trending industrial look of spaces.

NEWPORT™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



Bay



Harbor



Ferry



Pier

Mosaics



Bay






Harbor



Ferry



Pier

Sizes							
	12" x 24" 12.20" x 24.02"	12" x 12" Mesh 11.69" x 11.69"	3" x 12" Floor SBN				
Thickness	9mm	9.5mm	9.5mm				
Faces	16	N/A	N/A				
Finish	Matte	Matte	Matte				
Edge	Pressed	Cut	Cut/Rounded				
Grout Joint Recommendation	3/16"	3/16"	3/16"				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results* IV	>350 lbf	Resistant	<0.50%	>0.42	7	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick joint patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.




 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content 0% Pre & Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Ciudad™ recreates the look of natural stone in ceramic tile using high-definition printing. Its pattern variation from tile to tile is due to its striking graphic imaging, which adds a contemporary statement to any application.

CIUDAD™
Glazed Ceramic



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR 



Ash



Cream



Taupe



Gray

Mosaics



Ash






Cream



Taupe



Gray

Sizes							
	12"x24" 11.81"x23.62"	12"x12" Mesh 11.82"x11.82"	3"x12" Floor SBN				
Thickness	10.5mm	10.3mm	10.5mm				
Faces	12	N/A	N/A				
Finish	Matte	Matte	Matte				
Edge	Pressed	Cut	Cut/Rounded				
Grout Joint Recommendation	3/16"	3/16"	3/16"				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	III	>450 lbf	Non-Resistant	≤7.0%	<0.42	7	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Finewood™ provides the rich elegant look of natural wood but with the versatility of porcelain tile. Finewood captures the warmth and charm of wood perfectly through its striations of grain and subtle knots. Available in 9"x35" planks, four timeless colorways, and each color has its own wood graphic. This series will transform any space into a cozy and relaxed retreat.

FINWOOD™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  POOL 



Arbo




Baso



Oris



Silva

Sizes Thickness Faces Finish Edge Grout Joint Recommendation							
	9" x 35" 8.86" x 35.43"						
	9mm						
	12 - Silva, 7-Oris 10 - Baso & Arbo						
	Matte						
	Pressed						
3/16"							
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	III	≥350 lbf	Resistant	≤0.5%	≥0.42	7	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Showcasing the complex veining of rare marble, Reserva™ brings to life the timeless look with multiple sizes and stunning colors.

RESERVA™

Glazed Porcelain





Alto



Manu



Pampa





Mosaics



Alto

Manu

Pampa

Sizes							
	13" x 13" 12.99" x 12.99"	12" x 24" 11.81" x 23.62"	13" x 13" Mesh	3" x 13" Floor SBN			
Thickness	7.8mm	9mm	9mm	7.5mm			
Faces	47	37	N/A	N/A			
Finish	Matte	Matte	Matte	Matte			
Edge	Pressed	Pressed	Cut	Cut/Rounded			
Grout Joint Recommendation	3/16"	3/16"	3/16"	3/16"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results* IV	>400 lbf	Resistant	<0.50%	>0.60	7	V3

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content 0% Pre- and Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Realm II™ mirrors traditional honed marble with subtle veining and refined movement. Sophisticated colors with crackled and distressed details lend a natural aesthetic. A matte finish and various tile sizes make Realm II™ ideal for numerous interiors.

REALM II™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



Assembly




District



Domain





Mosaics



Assembly

District

Domain

Sizes							
	13" x 13" 12.99" x 12.99"	12" x 24" 11.81" x 23.62"	13" x 13" Mesh	3" x 13" Floor SBN			
Thickness	7.2mm	9.8mm	8mm	8mm			
Faces	11	10	N/A	N/A			
Finish	Matte	Matte	Matte	Matte			
Edge	Pressed	Pressed	Cut	Cut/Rounded			
Grout Joint Recommendation	3/16"	3/16"	3/16"	3/16"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results* IV	>350 lbf	Resistant	<0.50%	>0.42	7	V3

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content 0% Pre- and Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Simplicity meets sophistication. Subtly reminiscent of natural stone, Vernon™ porcelain tile brings life to any installation. Well-loved neutrals in both warm and cool tones provide a perfect backdrop for the soft texturing. Available in two sizes with a matching mosaic, Vernon is sure to bring a sense of elegance to any space.

VERNON™


Glazed Porcelain




FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  POOL 







White



Fawn



Silver

Sizes							
	12"x24" 11.81"x23.62"	13"x13" 12.99"x12.99"	1"x6" Mosaic 12"x12" Mesh	3"x12" Floor SBN			
Thickness	7.5mm	7.5mm	7.5mm	Check Website			
Faces	12	24	Random	N/A			
Finish	Matte	Matte	Matte	Matte			
Edge	Pressed	Pressed	Cut	Cut/Rounded			
Grout Joint Recommendation	3/16"	3/16"	3/16"	3/16"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	III	>250 lbf	Resistant	<0.5%	>0.42	6	V2

 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Essential sophistication is the mark of Visconde™ porcelain tile. This collection works beautifully within any design and aesthetic – a truly timeless option. Available in two elegant colors in both matte and polished finishes. Visconde is created to last, both in enduring style and classic durability.

VISCONDE™

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  POOL 



Oro




Silver

Mosaics



Oro







Silver



Oro



Silver

Sizes							
	12"x24" 11.81"x23.62"	12"x12" Mesh	12"x12" Mesh	3"x12" Floor SBN			
Thickness	8.8mm	8.8mm	8.8mm	8.8mm			
Faces	12	N/A	N/A	N/A			
Finish	Matte & Polished	Matte	Matte	Matte			
Edge	Rectified	Cut	Cut	Cut			
Grout Joint Recommendation	1/8"	1/8"	1/8"	1/8"			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	II (Polished) III (Matte)	>350 lbf	Resistant	≤0.5%	≥0.42 (Matte)	6	V2

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



FLOOR
LEVEL 3




FLOOR
LEVEL 3

Inspired by woven textiles, Thread II™ offers a subtle color palette with coordinating mosaics.

THREAD II™


Glazed Porcelain

- FLOOR / WALL 
- RESIDENTIAL 
- COMMERCIAL 
- INDOOR 
- POOL 






White

Mosaics



White

Sizes							
	12" x 24" 11.81" x 23.62"	12" x 12" Mesh 11.81" x 11.81"	3" x 12" Floor SBN				
Thickness	9mm	9mm	9mm				
Faces	1	N/A	N/A				
Finish	Matte	Matte	Matte				
Edge	Rectified	Cut	Cut/Rounded				
Grout Joint Recommendation	1/8"	Check Website	Check Website				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	III	>325 lbf	Resistant	<0.50%	>0.42	7	V1

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- 0% Pre- & Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Mokuzai II™ captures a timber-inspired design in a porcelain tile. Through high-definition printing, vivid detail is used to achieve appealing wood tones in large format planks.

MOKUZAI II™

Glazed Porcelain



FLOOR / WALL



RESIDENTIAL



COMMERCIAL



INDOOR



OUTDOOR



POOL



Hikari



Daku




Shiro



Gure



Oxford

Sizes Thickness Faces Finish Edge Grout Joint Recommendation							
	8" x 35" 7.87" x 35.43"						
	10mm						
	9						
	Matte						
Pressed							
3/16"							
Testing	Abrasion Resistance <small>C1027</small>	Breaking Strength <small>C648</small>	Chemical Resistance <small>C650</small>	Water Absorption <small>C373</small>	DCOF ANSI <small>A1371</small>	Scratch Hardness <small>MOHS</small>	Shade Variation Rating
Results*	IV	>500 lbf	Resistant	<0.50%	>0.55	7	V2

Product and Installation Details | ANSI A108.02
 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content 0% Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



FLOOR
LEVEL 4

With Rhapsody®, the design possibilities are endless. Create a classic black and white checkered pattern or utilize any combination of the solids and patterns to create your own masterpiece. The alluring distressed finish makes a statement in any room.

RHAPSODY®

Glazed Porcelain



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



White



Diagonal



Spade



Black




Floral



Argyle



Pattern Suggestions

Sizes Thickness Faces Finish Edge Grout Joint Recommendation							
	13" x 13" 12.99" x 12.99"						
	10mm						
	1						
	Matte						
	Pressed						
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results*	III	>400 lbf	Resistant	<0.50%	>0.60	6



 Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free
- Recycled Content 0% Pre- and Post-Consumer

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



FLOOR
LEVEL 5

Terramor offers a realistic interpretation of natural stone that combines a genuine textural finish and a timeless color palette all in a low-maintenance porcelain body. This large format series creates a classic yet modern aesthetic especially when pairing the decorative groove and the flat tiles together in an interior setting. Available in four distinct sizes with a honed or matte finish.

TERRAMOR™

Glazed Porcelain





Bianco



Avorio



Fulvo



Grigio



Nero



Nero Groove

All Colors Available in Groove Pattern



Fuse Bianco (24"x47" Only)



Fuse Calda (24"x47" Only)



Fuse Grigio (24"x47" Only)



Fuse Nero (24"x47" Only)

Mosaics



Bianco




Avorio



Fulvo



Grigio



Nero

Category	Bianco	Avorio	Fulvo	Grigio	Nero		
Sizes	 47" x 47" 47.24" x 47.24"	 24" x 47" 23.62" x 47.24"	 12" x 24" 11.81" x 23.62"	 12" x 47" Groove (Wall) 11.81" x 47.24"	 2" x 12" 12" x 12" Mesh	 3" x 12" Floor SBN	
Thickness	9mm	9mm	9mm	9mm	9mm	Check Website	
Faces	6	12	48	15	N/A	N/A	
Finish	Honed	Honed	Honed	Matte	Honed	Honed	
Edge	Rectified	Rectified	Rectified	Rectified	Cut	Cut/Rounded	
Grout Joint Recommendation	1/8"	1/8"	1/8"	3/16"	1/8"	1/8"	
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	III	>350 lbf >250 lbf (12x47)	Resistant	<0.5%	>0.50	7 5 (12x47)	V2

Product and Installation Details | ANSI A108.02
Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



WALL
LEVEL 2

Emora™ ceramic tile for walls takes its inspiration from the skies above, with a collection of four named Alto, Cumulus, Nimbus and Stratus. Clouds never fail to fascinate, and the same is true with Emora's collection of unique tiles which combine the simplicity of neutral color with the complexity of texture. Each a unique work of art – together, offering the potential for a signature wall moment.


EMORA™

Glazed Ceramic





Alto



Cumulus



Nimbus



Stratus

Available in Matte & Gloss Finish.

SIZES	3" x 6"		4" x 16"		1/2" x 8" Jolly
	2.95" x 5.95"		3.94" x 15.83"		
Thickness	7mm		7.8mm		
Grout Joint Recommendation	1/8"		1/8"		
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>125 lbf	Resistant	<20%	3	V2

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



WALL
LEVEL 3

Antigo™ is a zellige inspired tile that offers a mesmerizing blend of tradition and contemporary style. These tiles boast vibrant colors and unique imperfections, creating an artful backdrop that transforms any space. Elevate your designs with the timeless charm of Antigo, where each piece tells a story of craftsmanship and authenticity.


ANTIGO™

Glazed Ceramic







Snow



Vanilla





Ocean



Mist



Jet

Sizes					
	5" x 5" 4.92" x 4.92"	2" x 5" 2.46" x 4.92"			
Thickness	10mm	10mm			
Grout Joint Recommendation	1/8"	1/8"			
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>125 lbf	Resistant	<20.0%	3	V2 (Snow) V3

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



WALL
LEVEL 4

Savvy™ is a porcelain mosaic collection where smart and stylish design meets a fusion of modern aesthetics and practicality. Explore a diverse array of patterns and colors, offering endless possibilities to express your unique taste. This timeless classic adds a touch of contemporary elegance to any room, creating a lasting impression with its sophisticated allure.

SAVVY™

Glazed Porcelain Mosaic



FLOOR / WALL



RESIDENTIAL




COMMERCIAL




INDOOR




POOL




White 1x3 Offset




Oat 1x3 Offset



Silver 1x3 Offset



Navy 1x3 Offset



Pewter 1x3 Offset



White 2" Hex




Oat 2" Hex



Silver 2" Hex




Navy 2" Hex




Pewter 2" Hex




White Penny




Oat Penny



Silver Penny



Navy Penny



Pewter Penny

Sizes			
	12"x12" Mesh 12.32"x11.38"	2"Hex Mesh 12.49"x10.80"	1"x3" Offset Mesh 11.61"x11.46"
Thickness	6mm	6mm	6mm
Testing	Shade Variation Rating		
Results*	V2		

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



WALL
LEVEL 5

Inspired by the Japanese method for firing pottery, Raku™ brings to life this ancient method in a contemporary form. The unique look of Raku™ provides endless design options. The eight tranquil colors evoke happiness and are ideal for any application.

RAKU™
Glazed Ceramic





White



Silver



Ocean



Blue



Charcoal



Mustard



Olive



Ruby

The coloration of Raku™ is anything but ordinary. Rated as a V4, this line provides a dramatic variation in color and shade making each installation truly unique.

Color Variation:



Sizes					
	3" x 12" 2.95" x 11.81"		1/2" x 12" Jolly		
Thickness	10mm		13mm		
Grout Joint Recommendation	1/8"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>125 lbf	Resistant	>10.0%	4	V4

Raku is available in matte and gloss finishes.

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Inhale™ shimmers with style, with color and with updated appreciation for the classic subway tile design. Blues and greens are standouts as the mixed finish replicates the way light reflects off the surface of ocean water – a glistening effect that enlivens a space. Available in four striking colors, this ceramic tile is sure to create a signature wall moment in any space.

INHALE™

*Glazed Porcelain***



WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



Blanco





Gris



Verde



Azul

Sizes					
	4"x12" 3.94"x11.81"	1/2"x12" Jolly			
Thickness	8mm	8mm			
Grout Joint Recommendation	1/8"	1/8"			
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>350 lbf	Resistant	<3.0%	7	V2

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

**Frost Resistant Tile. This product is not classified as true porcelain as the water absorption falls within 0.5% - 3%. However, this product is able to be used almost anywhere porcelain tile is used.

Highly textural Reform™ tile is reminiscent of veined stone. With its layered statement effect, Reform's stone look achieves the luxurious look of natural stone, while celebrating all the benefits of porcelain tile. Offered in a selection of neutrals that are anything but ordinary.

REFORM™

Glazed Porcelain





Blanco



Crema



Silver



Gris



Nero

Sizes Thickness Grout Joint Recommendation					
	12mm				
	1/8"				
Testing	Breaking Strength C ₆₄₈	Chemical Resistance C ₆₅₀	Water Absorption C ₃₇₃	Scratch Hardness MOHS	Shade Variation Rating
Results*	>350 lbf	Resistant	<0.5%	7	V2

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Capture the majesty of ancient Greek and Roman civilizations with Fregio™. This series harkens to the storied era of conquering empires and brings the look of rugged, chiseled marble to any design. The pattern tiles of Fregio are glazed ceramic and are ideal for walls, while the flat tiles are glazed porcelain and may be used for floors and walls, making Fregio an ideal product for any space.

FREGIO™

*Glazed Ceramic & Porcelain***



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  POOL 



Ivory



Ivory Flat




Gray




Gray Flat



Charcoal



Charcoal Flat

Sizes Thickness Grout Joint Recommendation					
	6" x 20" 6.42" x 20.35"				
	11mm				
3/16"					
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>250 lbf (Flat)	Resistant (Flat)	<0.5% (Flat) 0.5 - 3% (Pattern)	7 (Flat)	V2

-  **Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

**Frost Resistant Tile. This product is not classified as true porcelain as the water absorption falls within 0.5% - 3%. However, this product is able to be used almost anywhere porcelain tile is used.

Immerse your space in a harmonious blend of sophistication with Contra™. Marrying glossy and matte finishes in a palette of rich colors, these tiles redefine classic subway elegance. Elevate your design with a tactile interplay of textures, bringing charm and contemporary allure to every space.

CONTRA™

Glazed Porcelain





Black



Black Demi



Black Slant



Navy



Navy Demi



Navy Slant



Silver




Silver Demi



Silver Slant



Fawn



Fawn Demi



Fawn Slant



White




White Demi



White Slant



Demi and Slant patterns combine both matte and gloss finishes.

Sizes Thickness Grout Joint Recommendation					
	10mm				
	1/8"				
Testing	Breaking Strength <small>C648</small>	Chemical Resistance <small>C650</small>	Water Absorption <small>C373</small>	Scratch Hardness MOHS	Shade Variation Rating
Results*	>250 lbf	Resistant	<3.0%	5	V3

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

This unique collection is comprised of four colors, a dramatic fluted wall tile and two matching decos. The versatility in the collection allows for the products to be mixed and matched or used individually to create a one-of-a-kind aesthetic. The muted color palette which coordinates effortlessly between styles includes a gorgeous array of the most popular earth tones. Its glossy finish with tonal variation and textural dimension is sure to add a handmade aesthetic to the space.

PAGONI™

Extruded Porcelain



Piano Dark



Piano Mint



Ornato



Piano White




Piano Silver



Dark




Mint



White






Silver



Cirio**



Ornato

Sizes							
	4" x 13" 4.33" x 12.80"	4" x 9" Piano 4.33" x 8.66"	9" x 9" 8.66" x 8.66"				
Thickness	9mm	11mm	9mm				
Faces	36 1 (Cirio)	10	1				
Finish	Glossy	Glossy	Glossy				
Edge	Extruded	Extruded	Extruded				
Grout Joint Recommendation	3/16"	3/16"	Check Website				
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Results*	N/A (Wall)	>250 lbf	Resistant	<0.5%	N/A (Wall)	3

**Pagoni Cirio has the true qualities of an artisanal tile and its irregular pattern may not always match up from tile to tile.

Product and Installation Details | ANSI A108.02 Section 4.3.8.2 - For running bond/brick jointing patterns utilizing tiles (square or rectangular) where the side being offset is greater than 18" (nominal dimension), the running bond offset will be a maximum of 33% unless otherwise specified by the tile manufacturer. If an offset greater than 33% is specified, specifier and owner must approve mock-up and lippage.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable
- VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Let the love affair with herringbone continue, starring Regala™ mosaic tile. Options abound with this collection, enabling herringbone and offset patterns, along with a special mini version. The full offering pops with soft neutrals as well as color options in perennial favorites, blue and green.

REGALA™

Glazed Porcelain





Gift Herringbone



Bequest Herringbone



Present Herringbone



Token Herringbone



Gift Mini Herringbone




Bequest Mini Herringbone




Present Mini Herringbone




Token Mini Herringbone




Gift Offset



Bequest Offset



Present Offset




Token Offset




Gift Mini Offset







Bequest Mini Offset



Present Mini Offset



Token Mini Offset

Sizes				
	Herringbone 8.15" x 9.65" Chip Size: 1" x 6"	Mini Herringbone 11.08" x 11.08" Chip Size: 0.5" x 2"	Offset 11.69" x 11.53" Chip Size: 1" x 6"	Mini Offset 11.73" x 11.73" Chip Size: 0.5" x 2"
Thickness	5.5mm	5.5mm	5.5mm	5.5mm
Testing	Shade Variation Rating			
Results*	V2			

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Equal parts artistic and modern, Elegan™ mosaic tile offers easy-to-install options with a striking marble look, available in timeless patterns. Whether decorative with subtle veining in white or bold and dark, Elegan will enhance kitchens, baths and other areas where elegance is a must.

ELEGAN™

Glazed Porcelain Mosaic



FLOOR / WALL 


RESIDENTIAL 

COMMERCIAL 

INDOOR 

OUTDOOR 


POOL 



Calacata Penny



Calacata Thicket




Calacata Shell



Calacata 2" Hex




Calacata 4" Hex



Calacata 2"x6" Offset



Calacata Picket



Nero Penny



Nero Thicket




Nero Shell




Nero 2" Hex










Nero 4" Hex



Nero 2"x6" Offset



Nero Picket

Sizes							
	11"x12" Penny 11.34"x12.24"	10"x11" 4" Hex 9.92"x11.45"	11"x13" 2" Hex 11.10"x12.79"	10"x14" Thicket 9.92"x13.78"	12"x11" Shell 11.89"x11.30"	12"x11" Offset 11.54"x11.22"	10"x13" Picket 10.16"x13.47"
Thickness	5.5mm	5.5mm	5.5mm	5.5mm	5.5mm	5.5mm	5.5mm
Testing	Shade Variation Rating						
Results*	V3						

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



WALL
COLLECTIONS


Add dimension to a room with 3D tiles & instantly get a unique and classic look in any bathroom or kitchen setting with Kinetic™. Kinetic ceramic mosaics create smooth, low-maintenance surfaces and come in 5 different colors. These 3D tiles are versatile for all kinds of applications creating a modern and clean look.

KINETIC™
Glazed Ceramic Mosaic






White




Gray




Skim



Mink



Blue

<p>Sizes</p>	 <p>11" x 12" 11.22" x 11.57"</p>
<p>Thickness</p>	<p>9mm</p>
<p>Testing</p>	<p>Shade Variation Rating</p>
<p>Results*</p>	<p>V2</p>

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Place2B™ is a brick-shaped tile offered in both matte and metallic finishes. Its classic shape and texture allow for the creation of unlimited design solutions.

PLACE2B™

Glazed Ceramic





White



Metallic

Sizes Thickness Grout Joint Recommendation	<p>2" x 10" 1.97" x 9.84"</p>				
	10mm				
	1/16"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	≥250 lbf	Resistant	<20.0%	6	V1

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Ornami™ offset ceramic mosaic is special in every way. Perfectly imperfect design and innovative striping feature prominently. It's a timeless choice evoking architectural design that is still relevant for today's trends. That's the beauty of great design. Available in six eye-catching colors, including deep jewel tones of red, blue and green. This unique tile is sure to decorate any room and enhance everything around it.


ORNAMI™

Glazed Ceramic Mosaic







Kami




Foil




Seni




Tant



Washi



Yuzen

<p>Sizes</p>  <p>2"x6" Offset 11.22"x11.54"</p>	
<p>Thickness</p>	<p>8mm</p>
<p>Testing</p>	<p>Shade Variation Rating</p>
<p>Results*</p>	<p>V2</p>

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free


*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Modan™ porcelain tile is a study in the power of contrasts – smooth and concave, rough and matte, light and shadow. Simple in concept with an appreciation for modern design, Modan calls to the senses, while enhancing any space where this unique tile lives. Four rich colors open the door to possibility.


MODAN™

Unglazed Porcelain Mosaic






White




Silver



Rust



Black

Sizes	
	12" x 12" Mesh 11.69" x 11.69"
Thickness	11mm
Testing	Shade Variation Rating
Results*	V2

It is recommended that the unglazed products be sealed to maintain stain or chemical resistance over-time. Always consult a professional for proper installation and maintenance.

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Add texture and intricacy while maintaining a clean and uncluttered look with Souvenir™. The slightly burnished edges and 1" x 6" stacked form provides visual interest with an artisan feel. The wide color palette ranges from cool neutrals to a lively green or blue which are perfect when a touch of color is desired. This spectacular tile is sure to turn any room into a showplace and will remain in guests' minds long after they have gone.

SOUVENIR™

Glazed Porcelain Mosaic



WALL  RESIDENTIAL  INDOOR 



Belem



Evora



Faro



Lagos



Sintra

Sizes	
	12"x12" Mesh 11.65"x11.65"
Thickness	8.5mm
Testing	Shade Variation Rating
Results*	V2

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Reminiscent of a classic Shaker door style, Cuadro™ features a beautifully decorative look with all the benefits of tile. Popular blues, in both Royal and Sky, as well as a host of neutrals offer a desirable color palette. And for those more in tune with modern and transitional aesthetics, Cuadro is also available in a clean “frameless” look.

CUADRO™

Glazed Porcelain Mosaic





White




Sky



Gray



White Frame



Sky Frame




Gray Frame



Charcoal



Fawn



Royal




Charcoal Frame



Fawn Frame



Royal Frame

Sizes	
	9" x 14" Mesh 9.37" x 14.41"
Thickness	8mm
Testing	Shade Variation Rating
Results*	V2

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Newtro™ ceramic tile combines a geometric shape with a textured gloss. The earthy and rich tones, and the unique texture, make this tile a versatile and elegant addition to a variety of environments. Newtro mosaic mesh tile comes in eight colors in a range of neutrals and bolder hues.

NEWTRO™

Ceramic Mosaic






White



Ivory



Silver




Ocean




Green




Red



Navy



Black

Sizes	
	12" x 12" Mesh 1" x 6" Stacked
Thickness	10mm
Testing	Shade Variation Rating
Results*	v3


-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.


Discover the whimsical charm of Skite. These unique tiles combine the playfulness of kite shapes with the classic appeal of primary hues. Add a pop of bold color and distinct style to your design with these versatile tiles, creating a striking and cheerful design that captures attention and enlivens any room.

SKITE™
Glazed Ceramic






White (Glossy)



Gray (Glossy)




Ember (Glossy)




Brass (Matte)



Navy (Glossy)



Carbon (Glossy)

<p>Sizes</p>  <p>6" x 7" 6.30" x 7.27"</p> <p>Thickness</p> <p>6.5mm</p> <p>Grout Joint Recommendation</p> <p>1/8"</p>						
	<p>Testing</p>	<p>Breaking Strength</p> <p>C648</p>	<p>Chemical Resistance</p> <p>C650</p>	<p>Water Absorption</p> <p>C373</p>	<p>Scratch Hardness</p> <p>MOHS</p>	<p>Shade Variation</p> <p>Rating</p>
	<p>Results*</p>	>125 lbf	Resistant	<20.0%	3	VI

- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Tubage™ is special in every way. This innovative series entices the senses with a sculptural silhouette and significant scale. The architecturally inspired look is available in 6 eye-catching shades. The 7"x16" size allows fewer seams and makes a bold and dramatic statement in any space.

TUBAGE™


Glazed Porcelain




WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR 



White



Aloe



Green




Bronze




Navy



Pewter



Sizes					
	7" x 16" 6.69" x 15.75"				
Thickness	7.5-15.0mm				
Grout Joint Recommendation	3/16"				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	>125 lbf	Resistant*	<0.5%	3	Check Website



The design of Tubage™ allows for unique corner installations. Visit emser.com for more details.


-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*Pewter and Bronze are not resistant to acids and alkalines and therefore not recommended for exterior use. For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Sophisticated and saturated in rich nature-influenced hues, Mizu™ ceramic tile adds equal measures of style and flair in interior design. The celebration of circles is evident in five smart colors that will dress up walls in any room. The graphic pattern is truly an eye-catcher. Mizu coordinates perfectly with Kaze™.

MIZU™
Glazed Ceramic Mosaic





Blue




White




Silver



Taupe



Green

Sizes	
	8" x 16" Mesh 7.80" x 15.67"
Thickness	8mm
Testing	Shade Variation Rating
Results*	V2


- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

Radiant™ integrates porcelain tiles with LED lighting to create a stunning and creative look. Emser Tile introduces a new patented system developed from 3D extruded designs. Completely transform your space with this fun, innovative, up-tempo tile.

RADIANT™
Extruded Glazed Porcelain



Enhance™



Pyramid White



Stries Calacata



Wave Black



Flexible LED strips are inserted into the channels of the porcelain tiles. Lights sold separately. Emser Tile suggests installation by a professional electrician.*

Sizes	Profile View				
Thickness	26mm				
Grout Joint Recommendation	Check Website				
Testing	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	V2


- Sustainability Attributes**
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free



*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection


Radiant™ integrates porcelain tiles with LED lighting to create a stunning and creative look. Emser Tile introduces a new patented system developed from 3D extruded designs. Completely transform your space with this fun, innovative, up-tempo tile.

RADIANT™
Extruded Glazed Porcelain





Pearl



Gray



Moon



Sand



Beach



Oak



DUAL APPLICATION CHANNELS - LED INTEGRATION & WATER DRAINAGE SYSTEM

Dual application of flexible LED strips can be inserted into the channels of the porcelain tiles. Lights sold separately. Emser Tile suggests installation by a professional electrician.

Built-in Water Drainage System



Sizes							
	8" x 18" (Floor) 7.87" x 17.72"	8" x 35" (Floor) 7.87" x 35.43"	8" x 18" Angle Trim 7.87" x 17.72"	8" x 35" Angle Trim 7.87" x 35.43"	3" x 8" Triangular Trim 2.56" x 7.87"		
Thickness	26mm	26mm	26mm	26mm	26mm		
Faces	Check Website	10	10	10	10		
Finish	Matte, R11	Matte, R11	Matte	Matte	Matte		
Edge	Rectified	Rectified	Rectified	Rectified	Rectified		
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website	Check Website		
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2

Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

Enhance™ Collection

Radiant Plain Floor is the epitome of timeless elegance and versatility and designed to coordinate with our Radiant LED floor system. The Plain version offers a sleek and understated design, that effortlessly complements any style, from modern to traditional. Available with an indoor R11 rating and five colors, two sizes, plus a matching stair tread/pool coping. Radiant Plain floor tile is sure to elevate any space.

RADIANT™
Glazed Porcelain



INDOOR & OUTDOOR RATED

Enhance™

FLOOR / WALL

RESIDENTIAL

COMMERCIAL

INDOOR

OUTDOOR

POOL

CLADDING



Pearl



Gray



Moon







Beach



Oak

8x47 Available in: Beach, Moon & Oak

18x27 Available in: Pearl and Grey

Sizes	 8" x 47" 7.87" x 47.24"	 18" x 26" 17.72" x 26.38"	 Stair Tread/Pool Coping 13" x 47" 12.60" x 47.24"	 Stair Tread/Pool Coping 13" x 27" 12.60" x 26.57"			
Thickness	9mm	12mm	11.5mm	11.5mm			
Faces	18	6	12	9			
Finish	Indoor R11	Indoor R11	Indoor R11	Indoor R11			
Edge	Rectified	Extruded	Extruded	Extruded			
Grout Joint Recommendation	Check Website	Check Website	Check Website	Check Website			
Testing	Abrasion Resistance C1027	Breaking Strength C648	Chemical Resistance C650	Water Absorption C373	DCOF ANSI A1371	Scratch Hardness MOHS	Shade Variation Rating
Results*	Check Website	Check Website	Check Website	Check Website	Check Website	Check Website	V2

Scan QR Code for more product details.



Sustainability Attributes

- Red List Free
- Health Product Declaration (HPD) provided upon request
- Product Packaging is 100% recyclable

*For more information, or to see other available options for this series, please visit emser.com. Always consult a professional for proper usage and installation.





SHOWER FLOOR
LEVEL 4


The clean, striking look of Influence™ offers a retro vibe in a traditional mosaic. A variety of classic shapes from penny tile to arabesque inspire striking designs. The glossy finish provides enhanced visual interest.

INFLUENCE™


Glazed Porcelain Mosaic



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 



White Arabesque




White Penny



White Cube




White 2" Hex




White 1" Hex




Fawn Arabesque




Fawn Penny




Fawn Cube








Gray Arabesque



Gray Penny



White & Black 1" Hex

Sizes					
	11" x 12" Mesh 11.34" x 12.24"	10" x 12" Mesh 10.16" x 11.73"	10" x 11" Mesh 9.53" x 10.87"	11" x 13" Mesh 10.98" x 12.68"	10" x 12" Mesh 10.41" x 12.05"
Thickness	5.5mm	5.5mm	5.5mm	5.5mm	5.5mm
Testing	Shade Variation Rating				
Results*	VI				

Not Suitable for Commercial Floor Application

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.

The clean and bright look of Impact™ makes a statement in any room. Timeless patterns such as Hex and Herringbone complement both modern and traditional design aesthetics. This matte tile offers a more subdued look.


IMPACT™
Glazed Porcelain Mosaic



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 




Gray Herringbone



Gray Hexagon



Gray 2"x2"



Gray Fan




White Herringbone



White Hexagon








White 2"x2"



White Fan



White 1"x3" Stacked

Sizes					
	11"x12" Mesh 10.90" x12.44"	11"x13" Mesh 11.10" x12.79"	12"x12" Mesh 12.04" x12.04"	12"x11" Mesh 11.61" x11.46"	11"x12" Mesh 11.89" x11.30"
Thickness	5.5mm	5.5mm	5.5mm	5.5mm	5.5mm

Testing	Shade Variation Rating
Results*	VI

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



SHOWER FLOOR
LEVEL 5

The clean, natural design aesthetic of Source™ is amplified through its neutral color palette. The contemporary shapes and smooth, matte finish make Source the tile of choice.

SOURCE™

*Unglazed Through Body Colored
Porcelain*



FLOOR / WALL  RESIDENTIAL  COMMERCIAL  INDOOR  OUTDOOR  POOL 


1" Hex on 11"x11"



Pure White



Fawn



Gray



Taupe

Salt & Pepper



White





3" Hex on 9"x10"



Fawn

Fawn


2"x2" on 12"x12"




Cider

Cider

1" Hex on 11"x11"



Black



Dark Blend











Light Blend

3" Hex on 9"x10"



2"x2" on 12"x12"



Sizes						
	12"x12" Mesh 11.69"x11.69"	9"x10" Mesh 8.66"x9.88"	11"x11" Mesh 11.42"x11.02"	2"x2" Floor SBN	2"x2" Cove Base	2"x2" SBN Corner
Thickness	6mm	6mm	6mm			

Testing	Shade Variation Rating
Results*	VI

-  Sustainability Attributes
- Health Product Declaration (HPD) provided upon request
 - Product Packaging is 100% recyclable
 - VOC Free



Salt & Pepper Close-Up

*For more information visit www.emser.com. Always consult a professional for proper usage and installation.



Kerry Kopasek

kerrykopasek@emser.com

Pocono™ Oak
Featured in Surfaces Showhome/SoCal 3D Spaces



2023/2024 Ceramic and Natural Stone Catalog

8431 Santa Monica Boulevard | Los Angeles, California 90069
Tel: 323. 650. 2000 | Fax: 323. 654. 3190 | www.emser.com